CANADIAN JOURNAL OF BOTANY, VOLUME 47 (1969)

Date of Issue

Canadian Journal of Botany, Volume 47 (1969), Numbers 1–12
This date, for each number of Volume 47, will be published in the first issue of Volume 48 (Number 1, January 1970).

Author Index

Under each name are listed, in chronological order of publication, all articles in which an author has participated.

Allaway, W. G.
Automated system for following stomatal behavior of plants in growth cabinets. W. G. Allaway and T. A. Mansfield, 1995.
Ames, I. H.
Effects of mercaptoethanol on tumor induction in a *Nicotiana* amphiploid. I. H. Ames and H. H. Smith, 921.
Anastasiou, C. J.
Fungi on decaying leaves in marine habitats. C. J. Anastasiou and L. M. Churchland, 251.
Andrews, C. J.
Dormancy studies in seed of *Avena fatua*. 6. Germinability of the immature caryopsis. C. J. Andrews and G. M. Simpson, 1841.
Ankora, J. K.
Development and release of conidia of *Phyllactinia corylea*. G. C. Clerk and J. K. Ankora, 1289.
Argus, G. W.
New combinations in the *Salix* of Alaska and Yukon. G. W. Argus, 795.
Chromosome numbers of some North American Arctic and Boreal *Salix*. Y. Suda and G. W. Argus, 859.
Aronson, S. J.
Histological studies of *Melampsora lini* resistance in flax. L. J. Littlefield and S. J. Aronson, 1713.
Arya, H. C.
Differential sensitivities to gamma radiation of *Phylloxera* gall and normal grape stem cells in tissue culture. H. C. Arya and A. C. Hildebrandt, 1623.
Aung, L. H.
Gibberellin-like substances in bulb species. L. H. Aung, A. A. De Hertogh, and G. L. Staby, 1817.
Bagga, D. K.
Factors affecting canker development on *Populus tremuloides* artificially inoculated with *Hypoxylon pruinatum*. D. K. Bagga and E. B. Smalley, 907.
Ball, E.
Ontogenetical and experimental studies of the floral apex of *Portulaca grandiflora*. 1. Histology of transformation of the shoot apex into the floral apex. S. R. Soetiarto and E. Ball, 133.
Ontogenetical and experimental studies of the floral apex of *Portulaca grandiflora*. 2. Bisection of the meristem in successive stages. S. R. Soetiarto and E. Ball, 1067.
Balsillie, D.
Formation of heartwood phenols in callus tissue cultures of red pine (*Pinus resinosa*). E. Jorgensen and D. Balsillie, 1015.
Baranyay, J. A.
Helotium resinicolum n. sp. and its *Stilbella* conidial state. J. A. Baranyay and A. Funk, 1011.
Barker, W. G.
Behavior in vitro of plant cells from various sources within the same organism. W. G. Barker, 1334.
Barr, D. J. S.
Studies on *Rhizophydium* and *Phlyctochytrium* (Chytridiales). I Comparative morphology. D. J. S. Barr, 991.
Studies on *Rhizophydium* and *Phlyctochytrium* (Chytridiales). II. Comparative physiology. D. J. S. Barr, 999.
Barron, G. L.
Isolation and maintenance of endoparasitic nematophagous Hyphomycetes. G. L. Barron, 1899.
Bartos, P.
Adult-plant leaf rust resistance in Thatcher and Marquis wheat: a genetic analysis of the host–parasite interaction. P. Bartos, P. L. Dyck, and D. J. Samborski, 267.
Leaf rust resistance of some European varieties of wheat. P. Bartos, D. J. Samborski, and P. L. Dyck, 543.
Studies on asexual variation in the virulence of oat crown rust, *Puccinia coronata* f. sp. *avenae*, and wheat leaf rust, *Puccinia recondita*. P. Bartos, G. Fleischman, D. J. Samborski, and W. A. Shipton, 1383.
Basham, J. T.
The ecological status of *Coniochaeta velutina* in sugar maple wounds. J. T. Basham, H. M. Good, and L. D. Taylor, 1629.
Bassett, I. J.
Conspecificity of *Plantago fastigiata* of North America with *P. ovata* of the Old World. I. J. Bassett and B. R. Baum, 1865.

Baum, B. R.
The role of lodicule and epiblast in determining natural hybrids of *Avena sativa* × *fatua* in cultivated oats. B. R. Baum, 85.
The use of lodicule type in assessing the origin of *Avena* fatuoids. B. R. Baum, 931.
Conspecificity of *Plantago fastigiata* of North America with *P. ovata* of the Old World. I. J. Bassett and B. R. Baum, 1865.
Beardsley, R.
Crown gall: effect of temperature on tumorigenesis in pea seedlings. A. Kurkdjian, P. Manigault, and R. Beardsley, 803.
Beasleigh, W. J.
Towards a mathematical model of limestone pavement vegetation. II. Microclimate, surface pH, and microtopography. G. A. Yarranton and W. J. Beasleigh, 959.
Benedict, W. G.
Influence of soil temperature on the development of pea root rot. W. G. Benedict, 567.
Effect of 2-chloroethylphosphonic acid and gibberellic acid on survival of tall and dwarf peas grown in root rot soils. W. G. Benedict and D. des S. Thomas, 1659.
Differential effect of 2-chloroethylphosphonic acid on light- and dark-grown tall and dwarf peas. D. des S. Thomas and W. G. Benedict, 1725.
Erratum: Influence of soil temperature on the development of pea root rot. W. G. Benedict, 1819.
Berkenkamp, B.
Viability of *Kabatiella caulivora*. B. Berkenkamp, 453.
Bhar, D. S.
Vegetative and reproductive development of shoot apices of *Pharbitis nil* as influenced by photoperiodism. D. S. Bhar and N. W. Radforth, 1403.
Bhattacharya, P. K.
Alterations of the host wall surrounding the infection peg of powdery mildew fungi. W. E. McKeen, R. Smith, and P. K. Bhattacharya, 701.
Erratum: Alterations of the host wall surrounding the infection peg of powdery mildew fungi. W. E. McKeen, R. Smith, and P. K. Bhattacharya, 1333.
Bhatty, R. S.
Species and varietal differences in the proteins of rapeseed. A. J. Finlayson, R. S. Bhatty, and C. M. Christ, 679.
Bird, C. D.
Bryophytes of the aspen parkland of west-central Canada. C. D. Bird, 187.
Lichens found on *Larix lyallii* and *Pinus albicaulis* in southwestern Alberta, Canada. R. M. Kalgutkar and C. D. Bird, 627.
Hepaticae of southwestern Alberta. C. D. Bird and W. S. Hong, 1727.
Bisalputra, T.
The distribution and ultrastructure of chloroplasts in leaves differing in photosynthetic carbon metabolism. I. Wheat, *Sorghum*, and *Aristida* (Gramineae). T. Bisalputra, W. J. S. Downton, and E. B. Tregunna, 15.
Crystalline bodies in an algal chloroplast. J. R. Stein and T. Bisalputra, 233.
The distribution and ultrastructure of chloroplasts in leaves differing in photosynthetic carbon metabolism. II. *Atriplex rosea* and *Atriplex hastata* (Chenopodiaceae). W. J. S. Downton, T. Bisalputra, and E. B. Tregunna, 915.
Bishop, R. S.
Lamellar lipoprotein of *Nicotiana* chloroplasts: in vivo incorporation of carbon dioxide, acetate, and leucine. R. S. Bishop, M. J. Perry, and R. W. Schreiber, 667.
Blackman, E.
Observations on the development of the silica cells of the leaf sheath of wheat (*Triticum aestivum*). E. Blackman, 827.
Blake, M. I.
Effects of deuterium replacement on seed development: influence on excised embryos. F. A. Crane, M. I. Blake, R. A. Uphaus, and J. J. Katz, 1465.
Bohaychuk, W. P.
Storage of *Polyporus tomentosus* sporophores. R. D. Whitney and W. P. Bohaychuk, 1489.
Boll, W. G.
Inhibition of tryptophan synthase by extracts from pea roots. J. Chen and W. G. Boll, 649.
Bonga, J. M.
The morphology and anatomy of holdfasts and branching radicles of *Arceuthobium pusillum* cultured in vitro. J. M. Bonga, 1935.
Booth, C.
Some species segregated from the genera *Cryptospora*, *Cryptosporella*, and *Sillia*. J. Reid and C. Booth, 1055.
Booth, T.
Morphological development of an isolate of *Schizochytrium aggregatum*. T. Booth and C. E. Miller, 2051.
Bose, A.
In vitro growth of gelatin suspensions of uredospores of *Puccinia graminis* f. sp. *tritici*. M. D. Coffey, A. Bose, and M. Shaw, 1291.
Bourne, V. L.
A simplified technique for the application of nuclear emulsion in electron microscopic autoradiography. V. L. Bourne and K. Cole, 1821.
Briquet, M. V.
Régulateurs de croissance et stabilité du RNA de transfert. M. V. Briquet, R. G. Leblus et A. L. Wiaux, 1207.
Bristow, J. M.
The effects of carbon dioxide on the growth and development of amphibious plants. J. M. Bristow, 1803.

Britton, D. M.
A chromatographic and cytological study of *Dryopteris dilatata* in eastern North America. C-J. Widén and D. M. Britton, 1337.
Brix, H.
Effect of temperature on dry matter production of Douglas-fir seedlings during bud dormancy. H. Brix, 1143.
Brown, F. A., Jr.
A hypothesis for extrinsic timing of circadian rhythms. F. A. Brown, Jr., 287.
Bryan, W. C.
Studies on ectomycorrhizae of pine in an electronically air-filtered, air-conditioned, plant-growth room. D. H. Marx and W. C. Bryan, 1903.
Cain, R. F.
Coprobolus, a new genus of the tribe Theleboleae (Pezizaceae). R. F. Cain and J. W. Kimbrough, 1911.
Notes on the genus *Microthecium*. S. Udagawa and R. F. Cain, 1915.
Some new or noteworthy species of the genus *Chaetomium*. S. Udagawa and R. F. Cain, 1939.
Revision of the genus *Podospora*. J. H. Mirza and R. F. Cain, 1999.
Campbell, R. N.
The ultrastructure of *Olpidium brassicae*. II. Zoospores. J. H. M. Temmink and R. N. Campbell, 227
The ultrastructure of *Olpidium brassicae*. III. Infection of host roots. J. H. M. Temmink and R. N. Campbell, 421.
Canvin, D. T.
Effect of temperature on the growth of wheat. II. "Grass-clump" dwarfs and dwarf varieties. Y. Yao and D. T. Canvin, 1.
Effect of temperature on the growth of wheat. III. Chemical constituents of Marquillo, Kenya Farmer, and two dwarf progeny grown at three temperatures. Y. Yao and D. T. Canvin, 35.
Growth responses of Marquillo × Kenya Farmer wheat dwarf 1 and 2 to gibberellic acid, kinetin, and indolebutyric acid under controlled environmental conditions. Y. Yao and D. T. Canvin, 53.
Casselman, M. D.
Injured cells required for initiation of plant virus infections. W. C. Kimmins and M. D. Casselman, 499.
Cavers, P. B.
The germination ecology of *Saponaria officinalis* from riverside gravel banks. M. A. Lubke and P. B. Cavers, 529.
Chadha, K. C.
An antiviral principle from tomatoes systemically infected with tobacco mosaic virus. K. C. Chadha and B. H. MacNeill, 513.
Chan, Y-H.
Mechanisms of pathogenesis in *Sclerotium bataticola* on sunflowers. 1. Production and translocation of a necrosis-inducing toxin. Y-H. Chan and W. E. Sackston, 1147.
Chaney, W. R.
Seasonal and diurnal expansion and contraction of fruits of forest trees. W. R. Chaney and T. T. Kozlowski, 1033.
Seasonal and diurnal changes in water balance of fruits, cones, and leaves of forest trees. W. R. Chaney and T. T. Kozlowski, 1407.
Chebib, F. S.
Canonical correlations of seed viability, seed-borne fungi, and environment in bulk grain ecosystems. R. N. Sinha, H. A. H. Wallace, and F. S. Chebib, 27.
Chen, C.
Silicon as a nutrient element for *Equisetum arvense*. C. Chen and J. Lewin, 125.
Chen, J.
Inhibition of tryptophan synthase by extracts from pea roots. J. Chen and W. G. Boll, 649.
Chen, T. M.
Effect of light and temperature on nitrate uptake and nitrate reductase activity in rye and oat seedlings. T. M. Chen and S. K. Ries, 341.
Chet, I.
The role of sclerotial rind in the germinability of sclerotia of *Sclerotium rolfsii*. I. Chet, 593.
Chien, M-m.
Ethyl acetate produced by *Ceratocystis paradoxa* and *C. adiposum* and its role in the inhibition of the germination of sugarcane buds. T-t. Kuo, M-m. Chien, and H-w. Li, 1459.
Christ, C. M.
Species and varietal differences in the proteins of rapeseed. A. J. Finlayson, R. S. Bhatty, and C. M. Christ, 679.
Churchland, L. M.
Fungi and decaying leaves in marine habitats. C. J. Anastasiou and L. M. Churchland, 251.
Clary, R.
Aeciospore release in *Gymnosporangium*. S. M. Pady, C. L. Kramer, and R. Clary, 1027.
Cleary, B. D.
Temperature: collection of data and its analysis for the interpretation of plant growth and distribution. B. D. Cleary and R. H. Waring, 167.
Clerk, G. C.
Development and release of conidia of *Phyllactinia corylea*. G. C. Clerk and J. K. Ankora, 1289.
Coffey, M. D.
In vitro growth of gelatin suspensions of uredospores of *Puccinia graminis* f. sp. *tritici*. M. D. Coffey, A. Bose, and M. Shaw, 1291.
Cohen, E.
A study of factors influencing the genetics of reaction of barley to root rot caused by *Helminthosporium sativum*. E. Cohen, S. B. Helgason, and W. C. McDonald, 429.

Cole, G. T.
Conidium ontogeny in hyphomycetes. *Trichothecium roseum* and its meristem arthrospores. W. B. Kendrick and G. T. Cole, 345.
Conidium ontogeny in hyphomycetes. The phialides of *Phialophora*, *Penicillium*, and *Ceratocystis*. G. T. Cole and W. B. Kendrick, 779.
Conidium ontogeny in hyphomycetes. The annellophores of *Scopulariopsis brevicaulis*. G. T. Cole and W. B. Kendrick, 925.
Conidium ontogeny in hyphomycetes. The arthrospores of *Oidiodendron* and *Geotrichum*, and the endoarthrospores of *Sporendonema*. G. T. Cole, and W. B. Kendrick, 1773.
Cole, K.
A simplified technique for the application of nuclear emulsion in electron microscopic autoradiography. V. L. Bourne and K. Cole, 1821.
Colotelo, N.
Influence of peroxidase and catalases on mycelial growth and phycnidium production by *Plenodomus meliloti* in light and darkness. S. I. Zafar and N. Colotelo, 505.
Cooke, F.
An introduction to the genetics of the fungus *Coniochaeta velutina*. F. Cooke, H. Tan, and H. M. Good, 1019.
Crane, F. A.
Effects of deuterium replacement on seed development: influence on excised embryos. F. A. Crane, M. I. Blake, R. A. Uphaus, and J. J. Katz, 1465.
Critchfield, W. B.
Turpentine composition of *Pinus contorta* × *Pinus banksiana* hybrids and hybrid derivatives. E. Zavarin, W. B. Critchfield, and K. Snajberk, 1443.
Crozier, A.
Activity of gibberellin A_{24} in 10 plant bioassays. R. P. Pharis, A. Crozier, D. M. Reid, and C. C. Kuo, 815.
Cumming, B. G.
Circadian rhythms of flower induction and their significance in photoperiodic response. B. G. Cumming, 309.
Photoperiodism and rhythmic flower induction: complete substitution of inductive darkness by light. B. G. Cumming, 1241.
Curren, T.
Pectic and cellulolytic enzymes produced by *Mycosphaerella citrullina* and their relation to black rot of squash. T. Curren, 791.
The sporulation of two isolates of *Mycosphaerella citrullina* on agar media. T. Curren, 2108.
Davies, P. N.
The metabolism of succinic semialdehyde by a psychrophilic basidiomycete. P. N. Davies and G. A. Strobel, 809.
Daynard, T. B.
The quality of short-wave radiation within plant canopies. T. B. Daynard, 1989.
Debraux, G.
Induction expérimentale de fleurs prolifères chez l'*Impatiens balsamina* variété Buisson fleuri par perturbation de la photopériode. G. Debraux et L. Simon, 1791.
Dedio, W.
Numerical chemotaxonomy in the genus *Secale*. W. Dedio, P. J. Kaltsikes, and E. N. Larter, 1175.
A thin-layer chromatographic study of the phenolics of *Triticale* and its parental species. W. Dedio, P. J. Kaltsikes, and E. N. Larter, 1589.
De Hertogh, A. A.
Gibberellin-like substances in bulb species. L. H. Aung, A. A. De Hertogh, and G. L. Staby, 1817.
DeMaggio, A. E.
Dormancy regulation: hormonal interaction in maple (*Acer platanoides*). A. E. DeMaggio and J. A. Freeberg, 1165.
Desjardins, P. R.
Electron microscopic observations of the flagellar hairs of *Phytophthora palmivora* zoospores. P. R. Desjardins, G. A. Zentmyer, and D. A. Reynolds, 1077.
De Wet, J. M. T.
A structural peculiarity observed in the sexual embryo sacs of *Dichanthium intermedium*. S. Saran and J. M. J. de Wet, 1205.
Dickmann, D. I.
Seasonal growth patterns of ovulate strobili of *Pinus resinosa* in central Wisconsin. D. I. Dickmann and T. T. Kozlowski, 839.
Seasonal changes in the macro- and micro-nutrient composition of ovulate strobili and seeds of *Pinus resinosa*. D. I. Dickmann and T. T. Kozlowski, 1547.
Dinoor, A.
Genetic complementation in *Ustilago hordei*. A. Dinoor and C. Person, 9.
Dobbins, D. R.
Studies on the anomalous cambial activity in *Doxantha unguis-cati* (Bignoniaceae). I. Development of the vascular pattern. D. R. Dobbins, 2101.
Downton, W. J. S.
The distribution and ultrastructure of chloroplasts in leaves differing in photosynthetic carbon metabolism. I. Wheat, *Sorghum*, and *Aristida* (Gramineae). T. Bisalputra, W. J. S. Downton, and E. B. Tregunna, 15.
The distribution and ultrastructure of chloroplasts in leaves differing in photosynthetic carbon metabolism. II. *Atriplex rosea* and *Atriplex hastata* (Chenopodiaceae). W. J. S. Downton, T. Bisalputra, and E. B. Tregunna, 915.
Dubetz, S.
An unusual photonastism induced by drought in *Phaseolus vulgaris*. S. Dubetz, 1640.

Dumbroff, E. B.
Factors influencing the stratification process in seeds of *Acer saccharum*. D. P. Webb and E. B. Dumbroff, 1555.
Demonstration of a complete Casparian strip in *Avena* and *Ipomoea* by a fluorescent staining technique. D. R. Peirson and E. B. Dumbroff, 1869.
Dunn, D. B.
Environmental modifications of leaf surface traits in *Datura stramonium*. G. K. Sharma and D. B. Dunn, 1211.
Durkee, T.L.
Ultrastructural studies of cold-dormant and germinating uredospores of *Puccinia graminis* var. *tritici*. A. S. Sussman, R. J. Lowry, T. L. Durkee, and R. Maheshwari, 2073.
Dwurazna, M. M.
Respiration of tobacco leaves infected with different strains of potato virus X. M. M. Dwurazna and M. Weintraub, 723.
The respiratory pathways of tobacco leaves infected with potato virus X. M. M. Dwurazna and M. Weintraub, 731.
Dyck, P. L.
Adult-plant leaf rust resistance in Thatcher and Marquis wheat: a genetic analysis of the host–parasite interaction. P. Bartos, P. L. Dyck, and D. J. Samborski, 267.
Leaf rust resistance of some European varieties of wheat. P. Bartos, D. J. Samborski, and P. L. Dyck, 543.
Eaton, G. W.
Interspecific hybridization of the red raspberry and salmonberry. B. V. Virdi and G. W. Eaton, 1820.
Embryo sac and early embryo development in the salmonberry (*Rubus spectabilis* Pursh.). B. V. Virdi and G. W. Eaton, 1891.
Edelstein, T.
Investigations of the marine algae of Nova Scotia. VI. Some species new to North America. T. Edelstein and J. McLachlan, 555.
Petroderma maculiforme on the coast of Nova Scotia. T. Edelstein and J. McLachlan, 561.
Ehrlich, H. G.
Uredospore development in *Puccinia graminis*. M. A. Ehrlich and H. G. Ehrlich, 2061.
Ehrlich, M. A.
Uredospore development in *Puccinia graminis*. M. A. Ehrlich and H. G. Ehrlich, 2061.
Ekundayo, J. A.
Pycnidium production by *Botryodiplodia theobromae*. I. The relation of light to the induction of pycnidia. J. A. Ekundayo and R. H. Haskins, 1153.
Pycnidium production by *Botryodiplodia theobromae*. II. Development of the pycnidium and fine structure of the maturing pycnospore. J. A. Ekundayo and R. H. Haskins, 1423.
Elliott, M. E.
Self-sterility in *Streptotinia caulophylli*. M. E. Elliott, 1895.
Esau, K.
Structural relations between nucleus and cytoplasm during mitosis in *Nicotiana tabacum* mesophyll. K. Esau and R. H. Gill, 581.
Etheridge, D. E.
Factors affecting infection of balsam fir (*Abies balsamea*) by *Stereum sanguinolentum* in Quebec. D. E. Etheridge, 457.
Farr, M. L.
Some "black mildew", "sooty mold", and "fly speck" fungi and their hyperparasites from Dominica. M. L. Farr, 369.
Fergus, C. L.
A new thermophilic fungus from mushroom compost: *Thielavia thermophila* spec. nov. C. L. Fergus and J. W. Sinden, 1635.
Finlayson, A. J.
Species and varietal differences in the proteins of rapeseed. A. J. Finlayson, R. S. Bhatty, and C. M. Christ, 679.
The amino acid composition of TCA-precipitated proteins and of total residues of plant cells grown in suspension culture. O. L. Gamborg and A. J. Finlayson, 1857.
Flanagan, P. W.
Mitosis and the development of thin-walled sporangia, resistant sporangia, and gametangia of *Allomyces*. P. W. Flanagan, 1157.
Nuclear divisions in the vegetative hyphae of *Rhizopus nigricans* and *Phycomyces blakesleeanus*. P. W. Flanagan, 2055.
Fleischmann, G.
Resistance of genes isolated from *Avena sterilis* to isolates of oat crown rust prevalent in Canada in 1968. G. Fleischmann, 623.
Taxonomic significance of protein patterns of rust species and formae speciales obtained by disc electrophoresis. W. A. Shipton and G. Fleischmann, 1351.
Studies on asexual variation in the virulence of oat crown rust, *Puccinia coronata* f. sp. *avenae*, and wheat leaf rust, *Puccinia recondita*. P. Bartos, G. Fleischmann, D. J. Samborski, and W. A. Shipton, 1383.
Fock, H.
Relation between photorespiration and glycolate oxidase activity in sunflower and red kidney bean leaves. H. Fock and G. Krotkov, 237.
Forward, D. F.
Foliar nutrition and growth in red pine: the fate of photoassimilated carbon in a seedling tree. P. V. Rangnekar and D. F. Forward, 897.
Foliar nutrition and wood growth in red pine: the distribution of radiocarbon photoassimilated by individual branches of young trees. P. V. Rangnekar, D. F. Forward, and N. J. Nolan, 1701.

Fowke, L. C.
Multivesicular structures and cell wall growth. L. C. Fowke and G. Setterfield, 1873.
Frankton, C.
Cytotaxonomy of some *Cirsium* species of the eastern United States, with a key to eastern species. R. J. Moore and C. Frankton, 1257.
Fraser, D. A.
Total growth of a black spruce (*Picea mariana*) tree at Chalk River, Ontario, Canada. D. A. Fraser and D. McGuire, 73.
Fraser, J. W.
Influences of sweet-fern on germination, survival, and early growth of red pine. J. W. Fraser, 1681.
Freeberg, J. A.
Dormancy regulation: hormonal interaction in maple (*Acer platanoides*). A. E. DeMaggio and J. A. Freeberg, 1165.
French, D. W.
Pathogenicity and taxonomy of *Hypoxylon mammatum*. D. W. French, C. S. Hodges, Jr., and J. D. Froyd, 223.
Friend, D. J. C.
Net assimilation rate of wheat as affected by light intensity and temperature. D. J. C. Friend, 1781.
Froyd, J. D.
Pathogenicity and taxonomy of *Hypoxylon mammatum*. D. W. French, C. S. Hodges, Jr., and J. D. Froyd, 223.
Fulcher, R. G.
Laboratory culture of the intertidal brown alga *Fucus vesiculosus*. R. G. Fulcher and M. E. McCully, 219.
Histological studies on the genus *Fucus*. IV. Regeneration and adventive embryony. R. G. Fulcher and M. E. McCully, 1643.
Funk, A.
Potebniamyces (Phacidiella) disease of the true firs in British Columbia. A. Funk, 751.
Helotium resinicolum n. sp. and its *Stilbella* conidial state. J. A. Baranyay and A. Funk, 1011.
A shoot-blight disease of western larch in British Columbia. A. Funk, 1509.
Gamborg, O. L.
The amino acid composition of TCA-precipitated proteins and of total residues of plant cells grown in suspension culture. O. L. Gamborg and A. J. Finlayson, 1857.
Gee, H.
Ion exchange resin beads as a carrier for growth substances. H. Gee and R. I. Greyson, 1505.
Gibbins, L. N.
A comparison of the inositol contents of illuminated and etiolated seedlings of *Phaseolus vulgaris*. L. N. Gibbins and F. W. Norris, 501.
Gill, C. C.
Annual variation in strains of barley yellow dwarf virus in Manitoba, and the occurrence of greenbug-specific isolates. C. C. Gill, 1277.
Gill, R. H.
Structural relations between nucleus and cytoplasm during mitosis in *Nicotiana tabacum* mesophyll. K. Esau and R. H. Gill, 581.
Gillett, J. M.
Taxonomy of *Trifolium* (Leguminosae). II. The *T. longipes* complex in North America. J. M. Gillett, 93.
Girouard, R. M.
Physiological and biochemical studies of adventitious root formation. Extractible rooting cofactors from *Hedera helix*. R. M. Girouard, 687.
Glynn, A. N.
Electrophoretic patterns of soluble fungal proteins and their possible use as taxonomic criteria in the genus *Fusarium*. A. N. Glynn and J. Reid, 1823.
Good, H. M.
An introduction to the genetics of the fungus *Coniochaeta velutina*. F. Cooke, H. Tan, and H. M. Good, 1019.
The ecological status of *Coniochaeta velutina* in sugar maple wounds. J. T. Basham, H. M. Good, and L. D. Taylor, 1629.
Goos, R. D.
Berkleasmium concinnum in culture. R. D. Goos, 503.
Gopal, B. V.
Development of stomata in some Papilionaceae. G. L. Shah and B. V. Gopal, 387.
Gould, F. W.
Erratum: Chromosome numbers of Texas grasses. F. W. Gould, 351.
Gourley, C. O.
Microfungi of crowns and roots of apparently healthy dormant strawberry plants. C. O. Gourley, 945.
Grasham, J. L.
Procedures and media for obtaining tissue cultures of 12 conifer species. A. E. Harvey and J. L. Grasham, 547.
Growth of the rust fungus *Cronartium ribicola* in tissue cultures of *Pinus monticola*. A. E. Harvey and J. L. Grasham, 663.
The relative susceptibility of needle- and stem-derived white pine tissue cultures to artificial inoculation with mycelium of *Cronartium ribicola*. A. E. Harvey and L. J. Grasham, 1789.
Greyson, R. I.
Light and electron microscope observations of a vacuolar structure associated with the floral apex of *Nigella damascena*. R. I. Greyson and K. R. Mitchell, 597.
Ion exchange resin beads as a carrier for growth substances. H. Gee and R. I. Greyson, 1505.
Griffin, H. D.
Studies on *Stereum sanguinolentum* in Kenya pine plantations. H. D. Griffin, 761.

Groves, J. W.
Crumenulopsis, a new name to replace *Crumenula* Rehm. J. W. Groves, 47.
Erratum: Two new species of *Ascocalyx*. J. W. Groves, 351.
Notes on the genus *Encoeliopsis*. J. W. Groves, 1319.
Habeck, J. R.
A chemosystematic analysis of some hybrid spruce (*Picea*) populations in Montana. J. R. Habeck and T. W. Weaver, 1565.
Habig, W.
The effect of light on ribulose diphosphate carboxylase in corn leaves. W. Habig and D. Racusen, 1051.
Haight, T. H.
Developmental potentialities of leaf primordia of *Osmunda cinnamomea*. V. Toward greater understanding of the final morphogenetic expression of isolated set I cinnamon fern leaf primordia. T. H. Haight and C. C. Kuehnert, 481.
Haissig, K.
Incomplete formation of cell walls in *Allium* epidermis. K. Haissig and E. Stadelmann, 183.
Hall, R.
Verticillium albo-atrum and *V. dahliae* distinguished by acrylamide gel-electrophoresis of proteins. R. Hall, 2110.
Halstead, E. H.
Effect of ultrasonics on the germination of wild rice (*Zizania aquatica*). E. H. Halstead and B. T. Vicario, 1638.
Hanchey, P.
Pathological changes in ultrastructure: false plasmolysis. P. Hanchey and H. Wheeler, 675.
Hanover, J. W.
A new hybrid between blue spruce and white spruce. J. W. Hanover and R. C. Wilkinson, 1693.
Harvey, A. E.
Procedures and media for obtaining tissue cultures of 12 conifer species. A. E. Harvey and J. L. Grasham, 547.
Growth of the rust fungus *Cronartium ribicola* in tissue cultures of *Pinus monticola*. A. E. Harvey and J. L. Grasham, 663.
The relative susceptibility of needle- and stem-derived white pine tissue cultures to artificial inoculation with mycelium of *Cronartium ribicola*. A. E. Harvey and J. L. Grasham, 1789.
Haskins, R. H.
Pycnidium production by *Botryodiplodia theobromae*. I. The relation of light to the induction of pycnidia. J. A. Ekundayo and R. H. Haskins, 1153.
Pycnidium production by *Botryodiplodia theobromae*. II. Development of the pycnidium and fine structure of the maturing pycnospore. J. A. Ekundayo and R. H. Haskins, 1423.
Hayman, D. S.
A note on the quantitative determination of carbohydrate in exudate from single cotton seeds and its significance. D. S. Hayman, 1521.
The influence of temperature on the exudation of nutrients from cotton seeds and on preemergence damping off by *Rhizoctonia solani*. D. S. Hayman, 1663.
Heimburger, M.
Meiotic studies in *Anemone multifida*. *A. tetonensis*, and their hybrids. C. Madahar and M. Heimburger, 1973.
Helgason, S. B.
A study of factors influencing the genetics of reaction of barley to root rot caused by *Helminthosporium sativum*. E. Cohen, S. B. Helgason, and W. C. McDonald, 429.
Hesketh, J. D.
The effect of temperature on stomatal aperture in different species. G. Hofstra and J. D. Hesketh, 1307.
Heslop-Harrison, J.
An acetolysis-resistant membrane investing tapetum and sporogenous tissue in the anthers of certain Compositae. J. Heslop-Harrison, 541.
Hicks, G. S.
In vitro morphogenesis in *Osmunda cinnamomea*. The role of the shoot apex in early leaf development. G. S. Hicks and T. A. Steeves, 575.
Hicks, M. A.
Analytical studies on the shoot apex of *Helianthus annuus*. T. A. Steeves, M. A. Hicks, J. M. Naylor, and P. Rennie, 1367.
Hildebrandt, A. C.
Morphology of edible plant cells and tissues in vitro. U. Kant and A. C. Hildebrandt, 849.
Differential sensitivities to gamma radiation of *Phylloxera* gall and normal grape stem cells in tissue culture. H. C. Arya and A. C. Hildebrandt, 1623.
Hiratsuka, Y.
Endocronartium, a new genus for autoecious pine stem rusts. Y. Hiratsuka, 1493.
Nuclear condition and germination characteristics of the aeciospores of *Cronartium comandrae* and *C. comptoniae*. J. M. Powell and Y. Hiratsuka, 1961.
Hodges, C. S., Jr.
Pathogenicity and taxonomy of *Hypoxylon mammatum*. D. W. French, C. S. Hodges, Jr., and J. D. Froyd, 223.
Hodges, J. D.
Carbohydrate and nitrogen fractions of the inner bark of loblolly pines under moisture stress. J. D. Hodges and P. L. Lorio, Jr., 1651.
Hoffman, L. R.
Oedogonium chaetophorum nomen novum. L. R. Hoffman, 219.
Hofstra, G.
The effect of temperature on stomatal aperture in different species. G. Hofstra and J. D. Hesketh, 1307.
The translocation of photosynthetically assimilated ^{14}C in corn. G. Hofstra and C. D. Nelson, 1435.

Holst, M. J.
Genetic control of cone clusters and precocious flowering in *Pinus sylvestris*. A. H. Teich and M. J. Holst, 1081.
Hong, W. S.
Hepaticae of southwestern Alberta. C. D. Bird and W. S. Hong, 1727.
Hopkins, W. S., Jr.
Palynology of the Eocene Kitsilano Formation, southwest British Columbia. W. S. Hopkins, Jr., 1101.
Hornby, C. A.
Meiotic prophase in *Prunus avium* cultivar Lambert. E. D. P. Whelan and C. A. Hornby, 1813.
Hsiao, S. I. C.
Life history and iodine nutrition of the marine brown alga, *Petalonia fascia* (O. F. Müll.) Kuntze. S. I. C. Hsiao, 1611.
Hubbes, M.
Benzoic and salicylic acids isolated from a glycoside of aspen bark and their effect on *Hypoxylon pruinatum*. M. Hubbes, 1295.
Factors in elm wood responsible for the production of coremia by *Ceratocystis ulmi*. M. Hubbes and R. Pomerleau, 1303.
Ibrahim, R. K.
Normal and abnormal plants from carrot root tissue cultures. R. K. Ibrahim, 825.
Ireland, R. R.
Taxonomic studies on the genus *Atrichum* in North America. R. R. Ireland, 353.
Jansonius, J.
Redescription of some fossil gymnospermous pollen (*Chasmatosporites*, *Marsupipollenites*, *Ovalipollis*). S. A. J. Pocock and J. Jansonius, 155.
Jensen, W. A.
Cotton embryogenesis: pollen tube development in the nucellus. W. A. Jensen, 383.
Jolliffe, P. A.
Estimation of the CO_2 free exchange pool size in wheat and corn leaves. P. A. Jolliffe and E. B. Tregunna, 1506.
Jorgensen, E.
Formation of heartwood phenols in callus tissue cultures of red pine (*Pinus resinosa*). E. Jorgensen and D. Balsillie, 1015.
Juo, P.
Loss of basic protein from root exudates during flash evaporation. P. Juo and G. Stotzky, 2107.
Kalgutkar, R. M.
Lichens found on *Larix lyallii* and *Pinus albicaulis* in southwestern Alberta, Canada. R. M. Kalgutkar and C. D. Bird, 627.
Kaltsikes, P. J.
Numerical chemotaxonomy in the genus *Secale*. W. Dedio, P. J. Kaltsikes, and E. N. Larter, 1175.
A thin-layer chromatographic study of the phenolics of *Triticale* and its parental species. W. Dedio, P. J. Kaltsikes, and E. N. Larter, 1589.
Kant, U.
Morphology of edible plant cells and tissues in vitro. U. Kant and A. C. Hildebrandt, 849.
Kasper, J. B.
Organic compounds in cold-water extracts of grand fir heartwood. J. B. Kasper, 551.
Katz, J. J.
Effects of deuterium replacement on seed development: influence on excised embryos. F. A. Crane, M. I. Blake, R. A. Uphaus, and J. J. Katz, 1465.
Kaufmann, M. R.
Effects of water potential on germination of lettuce, sunflower, and citrus seeds. M. R. Kaufmann, 1761.
Kaur, S.
A reinvestigation of the morphology of the gametophyte and juvenile sporophyte of *Ceratopteris thalictroides*. B. K. Nayar and S. Kaur, 395.
Kendrick, W. B.
Conidium ontogeny in hyphomycetes. *Trichothecium roseum* and its meristem arthrospores. W. B. Kendrick and G. T. Cole, 345.
Conidium ontogeny in hyphomycetes. The phialides of *Phialophora*, *Penicillium*, and *Ceratocystis*. G. T. Cole and W. B. Kendrick, 779.
Conidium ontogeny in hyphomycetes. The annellophores of *Scopulariopsis brevicaulis*. G. T. Cole and W. B. Kendrick, 925.
Conidium ontogeny in hyphomycetes. The arthrospores of *Oidiodendron* and *Geotrichum*, and the endoarthrospores of *Sporendonema*. G. T. Cole and W. B. Kendrick, 1773.
Kim, W. K.
Metabolism of aromatic compounds in healthy and rust-infected primary leaves of wheat. III. Studies on the metabolism of tryptophan. W. K. Kim and R. Rohringer, 1425.
Kimbrough, J. W.
Coprobolus, a new genus of the tribe Theleboleae (Pezizaceae). R. F. Cain and J. W. Kimbrough, 1911.
Kimmins, W. C.
Injured cells required for initiation of plant virus infections. W. C. Kimmins and M. D. Casselman, 499.
Isolation of a virus inhibitor from plants with localized infections. W. C. Kimmins, 1879.
Presence of plasmodesmata in callus cultures of tobacco and carrot. D. F. Spencer and W. C. Kimmins, 2049.
Kline, D. M.
Genes for pathogenicity in *Cochliobolus heterostrophus*. R. R. Nelson and D. M. Kline, 1311.

Knight, R. M.
Changes in the ribonucleic acid of senescing radish leaves. R. M. Knight and W. A. Quick, 1809.
Kohlmeyer, J.
Marine fungi of Hawaii including the new genus *Helicascus*. J. Kohlmeyer, 1469.
Konar, R. N.
Initiation of ovulate strobili in cotyledon-stage seedlings of *Pinus elliottii*. W. H. Smith and R. N. Konar, 624.
Kozlowski, T. T.
Seasonal growth patterns of ovulate strobili of *Pinus resinosa* in central Wisconsin. D. I. Dickmann and T. T. Kozlowski, 839.
Seasonal and diurnal expansion and contraction of fruits of forest trees. W. R. Chaney and T. T. Koslowski, 1033.
Seasonal and diurnal changes in water balance of fruits, cones, and leaves of forest trees. W. R. Chaney and T. T. Kozlowski, 1407.
Seasonal changes in the macro- and micro-nutrient composition of ovulate strobili and seeds of *Pinus resinosa*. D. I. Dickmann and T. T. Kozlowski, 1547.
Kramer, C. L.
Aeciospore release in *Gymnosporangium*. S. M. Pady, C. L. Kramer, and R. Clary, 1027.
Krotkov, G.
Relation between photorespiration and glycolate oxidase activity in sunflower and red kidney bean leaves. H. Fock and G. Krotkov, 237.
Krueger, K. W.
Comparative photosynthesis of red alder, Douglas-fir, Sitka spruce, and western hemlock seedlings. K. W. Krueger and R. H. Ruth, 519.
Kuehnert, C. C.
Developmental potentialities of leaf primordia of *Osmunda cinnamomea*. II. Further studies on the influence of determined leaf primordia on undetermined leaf primordia. C. C. Kuehnert, 59.
Developmental potentialities of leaf primordia of *Osmunda cinnamomea*. III. Studies of the effects of homogenized, determined leaf primordia on expression-potential of undetermined leaf primordia. C. C. Kuehnert, 65.
Developmental potentialities of leaf primordia of *Osmunda cinnamomea*. IV. Expression-potential of undetermined primordia separated by a barrier membrane from undetermined or determined primordia. C. C. Kuehnert, 69.
Developmental potentialities of leaf primordia of *Osmunda cinnamomea*. V. Toward greater understanding of the final morphogenetic expression of isolated set I cinnamon fern leaf primordia. T. H. Haight, and C. C. Kuehnert, 481.
Kuhlman, E. G.
Mucorales isolated from pine root bark and wood. E. G. Kuhlman, 1719.
Inoculation of loblolly pine seedlings with *Fomes annosus* in the greenhouse. E. G. Kuhlman, 2079.
Kuijt, J.
Observations on *Wallrothiella arceuthobii*, a fungus parasite of dwarf mistletoes. J. Kuijt, 1359.
Kuo, C. C.
Activity of gibberellin A_{24} in 10 plant bioassays. R. P. Pharis, A. Crozier, D. M. Reid, and C. C. Kuo, 815.
Kuo, T-t.
Ethyl acetate produced by *Ceratocystis paradoxa* and *C. adiposum* and its role in the inhibition of the germination of sugarcane buds. T-t. Kuo, M-m. Chien, and H-w. Li, 1459.
Kurkdjian, A.
Crown gall: effect of temperature on tumorigenesis in pea seedlings. A. Kurkdjian, P. Manigault, and R. Beardsley, 803.
Lanner, R. M.
Terminal megasporangiate cones in pinyon pine. R. M. Lanner, 259.
Larson, L. A.
The effect of prolonged seed soaking on seedling growth of *Pisum sativum*. L. A. Larson and K. Lwanga, 707.
Larter, E. N.
Numerical chemotaxonomy in the genus *Secale*. W. Dedio, P. J. Kaltsikes, and E. N. Larter, 1175.
A thin-layer chromatographic study of the phenolics of *Triticale* and its parental species. W. Dedio, P. J. Kaltsikes, and E. N. Larter, 1589.
Leblus, R. G.
Régulateurs de croissance et stabilité du RNA de transfert. M. V. Briquet, R. G. Leblus et A. L. Wiaux, 1207.
Lee, T. T.
Regulation of starch and sugar levels in tobacco leaves by gibberellic acid. T. T. Lee and N. Rosa, 1595.
Lewin, J.
Silicon as a nutrient element for *Equisetum arvense*. C. Chen and J. Lewin, 125.
Leyton, L.
Diurnal shrinkage and swelling of tree stems. J. M. Sykes and L. Leyton, 217.
Li, H-w.
Ethyl acetate produced by *Ceratocystis paradoxa* and *C. adiposum* and its role in the inhibition of the germination of sugarcane buds. T-t. Kuo, M-m. Chien, and H-w. Li, 1459.
Littlefield, L. J.
Histological studies of *Melampsora lini* resistance in flax. L. J. Littlefield and S. J. Aronson, 1713.
Loewenberg, J. R.
Cyclamen callus culture. J. R. Loewenberg, 2065.
Lorio, P. L., Jr.
Carbohydrate and nitrogen fractions of the inner bark of loblolly pines under moisture stress. J. D. Hodges and P. L. Lorio, Jr., 1651.

Lowry, R. J.
Ultrastructural studies of cold-dormant and germinating uredospores of *Puccinia graminis* var. *tritici*. A. S. Sussman, R. J. Lowry, T. L. Durkee, and R. Maheshwari, 2073.
Lubke, M. A.
The germination ecology of *Saponaria officinalis* from riverside gravel banks. M. A. Lubke and P. B. Cavers, 529.
Lwanga, K.
The effect of prolonged seed soaking on seedling growth of *Pisum sativum*. L. A. Larson and K. Lwanga, 707.
McAndrews, J. H.
Paleobotany of a wild rice lake in Minnesota. J. H. McAndrews, 1671.
McArthur, I. C. S.
On the occurrence of root thorns on a Central American palm. I.C.S. McArthur and T. A. Steeves, 1377.
McBride, R. P.
A microbiological control of *Melampsora medusae*. R. P. McBride, 711.
McCully, M. E.
Laboratory culture of the intertidal brown alga *Fucus vesiculosus*. R. G. Fulcher and M. E. McCully, 219.
Histological studies on the genus *Fucus*. IV. Regeneration and adventive embryony. R. G. Fulcher and M. E. McCully, 1643.
Mache, R.
Carbon dioxide, the substrate for phosphoenolpyruvate carboxylase from leaves of maize. E. R. Waygood, R. Mache and C. K. Tan, 1455.
McDonald, W. C.
A study of factors influencing the genetics of reaction of barley to root rot caused by *Helminthosporium sativum*. E. Cohen, S. B. Helgason, and W. C. McDonald, 429.
McGuire, D.
Total growth of a black spruce (*Picea mariana*) tree at Chalk River, Ontario, Canada. D. A. Fraser and D. McGuire, 73.
McIntyre, G. I.
Apical dominance in the rhizome of *Agropyron repens*. Evidence of competition for carbohydrate as a factor in the mechanism of inhibition. G. I. McIntyre, 1189.
McKeen, W. E.
Alterations of the host wall surrounding the infection peg of powdery mildew fungi. W. E. McKeen, R. Smith, and P. K. Bhattacharya, 701.
Erratum: Alterations of the host wall surrounding the infection peg of powdery mildew fungi. W. E. McKeen, R. Smith, and P. K. Bhattacharya, 1333.
McLachlan, J.
Investigations of the marine algae of Nova Scotia. VI. Some species new to North America. T. Edelstein and J. McLachlan, 555.
Petroderma maculiforme on the coast of Nova Scotia. T. Edelstein and J. McLachlan, 561.
MacNeill, B. H.
An antiviral principle from tomatoes systemically infected with tobacco mosaic virus. K. C. Chadha and B. H. MacNeill, 513.
Madahar, C.
Meiotic studies in *Anemone multifida*, *A. tetonensis*, and their hybrids. C. Madahar and M. Heimburger, 1973.
Maheshwari, R.
Ultrastructural studies of cold-dormant and germinating uredospores of *Puccinia graminis* var. *tritici*. A. S. Sussman, R. J. Lowry, T. L. Durkee, and R. Maheshwari, 2073.
Manasse, R.
Absence of arginase in healthy and crown gall tissues of tomato. R. Manasse, 1815.
Manigault, P.
Crown gall: effect of temperature on tumorigenesis in pea seedlings. A. Kurkdjian, P. Manigault, and R. Beardsley 803.
Mansfield, T. A.
Automated system for following stomatal behavior of plants in growth cabinets. W. G. Allaway and T. A. Mansfield, 1995.
Marin, L.
Extracellular production in relation to growth of four planktonic algae and of phytoplankton populations from Lake Ontario. C. Nalewajko and L. Marin, 405.
Marx, D. H.
Studies on ectomycorrhizae of pine in an electronically air-filtered, air-conditioned, plant-growth room. D. H. Marx and W. C. Bryan, 1903.
Mathre, D. E.
Physiology of thick-walled spores of soil-borne plant pathogenic fungi. I. Respiration and germination of *Helminthosporium sativum* and *H. pedicellatum* spores. D. E. Mathre, 1513.
Mellor, F. C.
Development of excised potato buds in nutrient culture. F. C. Mellor and R. Stace-Smith, 1617.
Miller, C. E.
Morphological development of an isolate of *Schizochytrium aggregatum*. T. Booth and C. E. Miller, 2051.
Miller, O. K., Jr.
Notes on gastromycetes of the Yukon Territory and adjacent Alaska. O. K. Miller, Jr., 247.
Mirza, J. H.
Revision of the genus *Podospora*. J. H. Mirza and R. F. Cain, 1999.

Mishra, A. K.
Fine structure of the growing point of the coenocytic alga, *Caulerpa sertularioides*. A. K. Mishra, 1599.
Misra, R.
Diversity, dominance, stability, and net production in the grasslands at Varanasi, India. J. S. Singh and R. Misra, 425.
Mitchell, K. R.
Light and electron microscope observations of a vacuolar structure associated with the floral apex of *Nigella damascena*. R. I. Greyson and K. R. Mitchell, 597.
Mitchell, M. B.
Unpredicted growth responses of single-ascospore colonies of *Neurospora crassa*. M. B. Mitchell, 1985.
Mitchell, S.
The nucleolus of wheat stem rust uredospores. S. Mitchell and M. Shaw, 1887.
Mittra, D.
The gametophyte and young sporophyte of *Ampelopteris prolifera*. D. Mittra and U. Sen, 1953.
Mogensen, H. L.
Floral ontogeny and an interpretation of the inferior ovary in *Agave parryi*. H. L. Mogensen, 23.
Moore, R. J.
Cytotaxonomy of some *Cirsium* species of the eastern United States, with a key to eastern species. R. J. Moore and C. Frankton, 1257.
Morf, W.
Development of the gibberellin-induced ovulate strobilus of western red cedar: quantitative requirement for long-day → short-day → long-day. R. P. Pharis, W. Morf, and J. N. Owens, 415.
Morrison, D. J.
Effect of hot-water-soluble *Thuja plicata* heartwood extractives on the growth of *Thuja* and non-*Thuja* isolates of *Poria weirii*. D. J. Morrison, 1605.
Mukerji, K. G.
Cytology of ascus development in the genus *Chaetomidium*. V. Ranga Rao and K. G. Mukerji, 869.
Mullick, D. B.
Studies on periderm. II. Anthocyanidins in secondary periderm tissue of amabilis fir, grand fir, western hemlock, and western red cedar. D. B. Mullick, 1419.
Mulligan, G. A.
A new species of *Lesquerella* (Cruciferae) in northwestern Canada. G. A. Mulligan and A. E. Porsild, 215.
Chromosome numbers of some plants from the unglaciated central Yukon plateau, Canada. G. A. Mulligan and A. E. Porsild, 655.
Munroe, M. H.
Gametophyte formation in bracken fern root cultures. M. H. Munroe and I. M. Sussex, 617.
Muthappa, B. N.
Exogenous budding from ascospores of *Taphrina*. B. N. Muthappa, 1203.
Nalewajko, C.
Extracellular production in relation to growth of four planktonic algae and of phytoplankton populations from Lake Ontario. C. Nalewajko and L. Marin, 405.
Nayar, B. K.
A reinvestigation of the morphology of the gametophyte and juvenile sporophyte of *Ceratopteris thalictroides*. B. K. Nayar and S. Kaur, 395.
Naylor, J. M.
Analytical studies on the shoot apex of *Helianthus annuus*. T. A. Steeves, M. A. Hicks, J. M. Naylor, and P. Rennie, 1367.
Regulation of enzyme synthesis in aleurone tissue of *Avena* species. J. M. Naylor, 2069.
Nelson, C. D.
The translocation of photosynthetically assimilated ^{14}C in corn. G. Hofstra and C. D. Nelson, 1435.
Nelson, R. R.
The production of a host-specific pathotoxin by *Cochliobolus heterostrophus*. V. Smedegard-Petersen and R. R. Nelson, 951.
Genes for pathogenicity in *Cochliobolus heterostrophus*. R. R. Nelson and D. M. Kline, 1311.
Nolan, N. J.
Foliar nutrition and wood growth in red pine: the distribution of radiocarbon photoassimilated by individual branches of young trees. P. V. Rangnekar, D. F. Forward, and N. J. Nolan, 1701.
Norris, F. W.
A comparison of the inositol contents of illuminated and etiolated seedlings of *Phaseolus vulgaris*. L. N. Gibbins and F. W. Norris, 501.
Nozzolillo, C.
The uptake of phenylalanine during imbibition by seeds of the garden pea, *Pisum sativum*. K. B. Paul and C. Nozzolillo, 1685.
Olexia, P. D.
Notes on clavarioid fungi. XI. Miscellaneous notes on *Clavaria*. R. H. Petersen and P. D. Olexia, 1133.
Ormrod, D. P.
The effect of abrupt temperature increase on growth and phosphorus fractions of *Pisum sativum*. J. R. M. Potts and D. P. Ormrod, 1199.
Ouellette, G. B.
Preuve de la viabilité des urédiniospores du *Pucciniastrum agrimoniae* après repos hivernal. G. B. Ouellette, 497.
Owens, J. N.
Development of the gibberellin-induced ovulate strobilus of western red cedar: quantitative requirement for long-day → short-day → long-day. R. P. Pharis, W. Morf, and J. N. Owens, 415.

The relative importance of initiation and early development on cone production in Douglas fir. J. N. Owens, 1039.
Owston, P. W.
The shoot apex in eastern white pine: its structure, seasonal development, and variation within the crown. P. W. Owston, 1181.
Pady, S. M.
Aeciospore release in *Gymnosporangium*. S. M. Pady, C. L. Kramer, and R. Clary, 1027.
Parker, A. K.
The genus *Rhabdocline* Syd. A. K. Parker and J. Reid, 1533.
Parker, B. C.
Occurrence of silica in brown and green algae. B. C. Parker, 537.
Parmelee, J. A.
The autoecious species of *Puccinia* on Heliantheae ('Ambrosiaceae') in North America. J. A. Parmelee, 1391.
Paul, K. B.
The uptake of phenylalanine during imbibition by seeds of the garden pea, *Pisum sativum*. K. B. Paul and C. Nozzolillo, 1685.
Peirson, D. R.
Demonstration of a complete Casparian strip in *Avena* and *Ipomoea* by a fluorescent staining technique. D. R. Peirson and E. B. Dumbroff, 1869.
Perry, M. J.
Lamellar lipoprotein of *Nicotiana* chloroplasts: in vivo incorporation of carbon dioxide, acetate, and leucine. R. S. Bishop, M. J. Perry, and R. W. Schreiber, 667.
Person, C.
Genetic complementation in *Ustilago hordei*. A. Dinoor and C. Person, 9.
Petersen, R. H.
Notes on clavarioid fungi. XI. Miscellaneous notes on *Clavaria*. R. H. Petersen and P. D. Olexia, 1133.
Peterson, R. L.
Bud formation on root segments of *Ophioglossum petiolatum*: effect of application site of cytokinins and auxin. R. L. Peterson, 1285.
Observations on bud formation and proliferations on cytokinin-treated root segments of *Ophioglossum petiolatum*. R. L. Peterson, 1579.
Pharis, R. P.
Development of the gibberellin-induced ovulate strobilus of western red cedar: quantitative requirement for long-day → short-day → long-day. R. P. Pharis, W. Morf, and J. N. Owens, 415.
Activity of gibberellin A_{24} in 10 plant bioassays. R. P. Pharis, A. Crozier, D. M. Reid, and C. C. Kuo, 815.
Pickard, W. F.
The correlation between electrical behavior and cytoplasmic streaming in *Chara braunii*. W. F. Pickard, 1233.
Pirozynski, K. A.
Reassessment of the genus *Amblyosporium*. K. A. Pirozynski, 325.
Pocock, S. A. J.
Redescription of some fossil gymnospermous pollen (*Chasmatosporites*, *Marsupipollenites*, *Ovalipollis*). S. A. J. Pocock and J. Jansonius, 155.
Pomerleau, R.
Factors in elm wood responsible for the production of coremia by *Ceratocystis ulmi*. M. Hubbes and R. Pomerleau, 1303.
Porsild, A. E.
A new species of *Lesquerella* (Cruciferae) in northwestern Canada. G. A. Mulligan and A. E. Porsild, 215.
Chromosome numbers of some plants from the unglaciated central Yukon plateau, Canada. G. A. Mulligan and A. E. Porsild, 655.
Potts, J. R. M.
The effect of abrupt temperature increase on growth and phosphorus fractions of *Pisum sativum*. J. R. M. Potts and D. P. Ormrod, 1199.
Powell, J. M.
Nuclear condition and germination characteristics of the aeciospores of *Cronartium comandrae* and *C. comptoniae*. J. M. Powell and Y. Hiratsuka, 1961.
Pye, E. K.
Biochemical mechanisms underlying the metabolic oscillations in yeast. E. K. Pye, 271.
Quick, W. A.
Changes in the ribonucleic acid of senescing radish leaves. R. M. Knight and W. A. Quick, 1809.
Racusen, D.
The effect of light on ribulose diphosphate carboxylase in corn leaves. W. Habig and D. Racusen, 1051.
Radforth, N. W.
Vegetative and reproductive development of shoot apices of *Pharbitis nil* as influenced by photoperiodism. D. S. Bhar and N. W. Radforth, 1403.
Ramakrishnan, P. S.
Nutritional factors influencing the distribution of the calcareous and acidic populations in *Hypericum perforatum*. P. S. Ramakrishnan, 175.
Ramanujam, C. G. K.
Fossil woods of Taxodiaceae from the Edmonton Formation (Upper Cretaceous) of Alberta. C. G. K. Ramanujam and W. N. Stewart, 115.
Nomenclatural changes for *Taxodioxylon antiquum* Ramanujam & Stewart and *T. antiquum* Prakash. C. G. K. Ramanujam and W. N. Stewart, 1333.

Ranga Rao, V.
Cytology of ascus development in the genus *Chaetomidium*. V. Ranga Rao and K. G. Mukerji, 869.
Rangnekar, P. V.
Foliar nutrition and growth in red pine: the fate of photoassimilated carbon in a seedling tree. P. V. Rangnekar and D. F. Forward, 897.
Foliar nutrition and wood growth in red pine: the distribution of radiocarbon photoassimilated by individual branches of young trees. P. V. Rangnekar, D. F. Forward, and N. J. Nolan, 1701.
Rao, A. N.
Tissue culture from bulbil of *Dioscorea sansibarensis*. A. N. Rao, 565.
Reddy, M. N.
Growth of noninfected and *Plasmodiophora brassicae* infected cabbage callus in culture. P. H. Williams, M. N. Reddy, and J. O. Strandberg, 1217.
Reid, D. M.
Activity of gibberellin A_{24} in 10 plant bioassays. R. P. Pharis, A. Crozier, D. M. Reid, and C. C. Kuo, 815.
Reid, J.
Some species segregated from the genera *Cryptospora*, *Cryptosporella*, and *Sillia*. J. Reid and C. Booth, 1055.
The genus *Rhabdocline* Syd. A. K. Parker and J. Reid, 1533.
Electrophoretic patterns of soluble fungal proteins and their possible use as taxonomic criteria in the genus *Fusarium*. A. N. Glynn and J. Reid, 1823.
Rennie, P.
Analytical studies on the shoot apex of *Helianthus annuus*. T. A. Steeves, M. A. Hicks, J. M. Naylor, and P. Rennie, 1367.
Reynolds, D. A.
Electron microscopic observations of the flagellar hairs of *Phytophthora palmivora* zoospores. P. R. Desjardins, G. A. Zentmyer, and D. A. Reynolds, 1077.
Richardson, H. P.
The susceptibility of cereals and wild oats to an isolate of the aster yellows pathogen. P. H. Westdal and H. P. Richardson, 755.
Richardson, L. T.
Comparative fungitoxicity and phytotoxicity of sodium *N*-methyldithiocarbamate and its *n*-alkyl homologues. L. T. Richardson and G. D. Thorn, 241.
Erratum: Comparative fungitoxicity and phytotoxicity of sodium *N*-methyldithiocarbamate and its *n*-alkyl homologues. L. T. Richardson and G. D. Thorn, 1017.
Ries, S. K.
Effect of light and temperature on nitrate uptake and nitrate reductase activity in rye and oat seedlings. T. M. Chen and S. K. Ries, 341.
Ritchie, J. C.
Absolute pollen frequencies and carbon-14 age of a section of Holocene Lake sediment from the Riding Mountain area of Manitoba. J. C. Ritchie, 1345.
Roberts, D. W. A.
A comparison of the peroxidase isozymes of wheat plants grown at 6 °C and 20 °C. D. W. A. Roberts, 263.
Rogers, J. D.
Xylaria polymorpha. I. Cytology of a form with small stromata from Minnesota. J. D. Rogers, 1315.
Rohringer, R.
Metabolism of aromatic compounds in healthy and rust-infected primary leaves of wheat. III. Studies on the metabolism of tryptophan. W. K. Kim and R. Rohringer, 1425.
Rosa, N.
Regulation of starch and sugar levels in tobacco leaves by gibberellic acid. T. T. Lee and N. Rosa, 1595.
Ruth, R. H.
Comparative photosynthesis of red alder, Douglas-fir, Sitka spruce, and western hemlock seedlings. K. W. Krueger and R. H. Ruth, 519.
Sackston, W. E.
Mechanisms of pathogenesis in *Sclerotium bataticola* on sunflowers. 1. Production and translocation of a necrosis-inducing toxin. Y-H. Chan and W. E. Sackston, 1147.
Samborski, D. J.
Adult-plant leaf rust resistance in Thatcher and Marquis wheat: a genetic analysis of the host–parasite interaction. P. Bartos, P. L. Dyck, and D. J. Samborski, 267.
Leaf rust resistance of some European varieties of wheat. P. Bartos, D. J. Samborski, and P. L. Dyck, 543.
Studies on asexual variation in the virulence of oat crown rust, *Puccinia coronata* f. sp. *avenae*, and wheat leaf rust, *Puccinia recondita*. P. Bartos, G. Fleischmann, D. J. Samborski, and W. A. Shipton, 1383.
Sandhu, D. K.
Electron microscopy of conidium development and secession in *Cryptosporiopsis* sp., *Phoma fumosa*, *Melanconium bicolor*, and *M. apiocarpum*. B. C. Sutton and D. K. Sandhu, 745.
Saran, S.
A structural peculiarity observed in the sexual embryo sacs of *Dichanthium intermedium*. S. Saran and J. M. J. de Wet, 1205.
Savile, D. B. O.
Interrelationships of *Ledum* species and their rust parasites in Western Canada and Alaska. D. B. O. Savile, 1085.
Schmidt, R. A.
Temperature and relative humidity regimes in the pine stump habitat of *Fomes annosus*. R. A. Schmidt and F. A. Wood, 141.

Schreiber, R. W.
Lamellar lipoprotein of *Nicotiana* chloroplasts: in vivo incorporation of carbon dioxide, acetate, and leucine. R. S. Bishop, M. J. Perry, and R. W. Schreiber, 667.
Sen, U.
The gametophyte and young sporophyte of *Ampelopteris prolifera*. D. Mittra and U. Sen, 1953.
Serota, C. A.
The biosystematics of *Trillium rugelii* from Rutherford County, North Carolina. C. A. Serota, 445.
Karyotypes and morphological variation in the sessile-flowered trilliums of North Carolina. C. A. Serota, 1223.
Setterfield, G.
Multivesicular structures and cell wall growth. L. C. Fowke and G. Setterfield, 1873.
Shah, G. L.
Development of stomata in some Papilionaceae. G. L. Shah and B. V. Gopal, 387.
Sharma, G. K.
Environmental modifications of leaf surface traits in *Datura stramonium*. G. K. Sharma and D. B. Dunn, 1211.
Shaw, M.
In vitro growth of gelatin suspensions of uredospores of *Puccinia graminis* f. sp. *tritici*. M. D. Coffey, A. Bose, and M. Shaw, 1291.
Nuclei in haustoria of *Phytophthora infestans*. B. Sivak and M. Shaw, 1585.
The nucleolus of wheat stem rust uredospores. S. Mitchell and M. Shaw, 1887.
Shipton, W. A.
Taxonomic significance of protein patterns of rust species and formae speciales obtained by disc electrophoresis. W. A. Shipton and G. Fleischmann, 1351.
Studies on asexual variation in the virulence of oat crown rust, *Puccinia coronata* f. sp. *avenae*, and wheat leaf rust, *Puccinia recondita*. P. Bartos, G. Fleischmann, D. J. Samborski, and W. A. Shipton, 1383.
Simon, L.
Induction expérimentale de fleurs prolifères chez l'*Impatiens balsamina* variété Buisson fleuri par perturbation de la photopériode. G. Debraux et L. Simon, 1791.
Simpson, G. M.
Dormancy studies in seed of *Avena fatua*. 6. Germinability of the immature caryopsis. C. J. Andrews and G. M. Simpson, 1841.
Sinden, J. W.
A new thermophilic fungus from mushroom compost: *Thielavia thermophila* spec. nov. C. L. Fergus and J. W. Sinden, 1635.
Singh, B. V.
Studies on aecial development in rust fungi: *Puccinia polliniae*. B. V. Singh, 741.
Singh, D.
Nitrogenous and carbohydrate compounds in the xylem sap of Ulmaceae species varying in resistance to Dutch elm disease. D. Singh and E. B. Smalley, 335.
Nitrogenous compounds in the xylem sap of American elms with Dutch elm disease. D. Singh and E. B. Smalley, 1061.
Singh, J. S.
Diversity, dominance, stability, and net production in the grasslands at Varanasi, India. J. S. Singh and R. Misra, 425.
Sinha, R. N.
Canonical correlations of seed viability, seed-borne fungi, and environment in bulk grain ecosystems. R. N. Sinha, H. A. H. Wallace, and F. S. Chebib, 27.
Sivak, B.
Nuclei in haustoria of *Phytophthora infestans*. B. Sivak and M. Shaw, 1585.
Smalley, E. B.
Nitrogenous and carbohydrate compounds in the xylem sap of Ulmaceae species varying in resistance to Dutch elm disease. D. Singh and E. B. Smalley, 335.
Factors affecting canker development on *Populus tremuloides* artificially inoculated with *Hypoxylon pruinatum*. D. K. Bagga and E. B. Smalley, 907.
Nitrogenous compounds in the xylem sap of American elms with Dutch elm disease. D. Singh and E. B. Smalley, 1061.
Smedegard-Petersen, V.
The production of a host-specific pathotoxin by *Cochliobolus heterostrophus*. V. Smedegard-Petersen and R. R. Nelson, 951.
Smerlis, E.
Synonymy and pathogenicity of *Dermea piceina*. E. Smerlis, 213.
Smith, D. W.
A taximetric study of *Vaccinium* in northeastern Ontario. D. W. Smith, 1747.
Smith, H. H.
Effects of mercaptoethanol on tumor induction in a *Nicotiana* amphiploid. I. H. Ames and H. H. Smith, 921.
Smith, J. E.
Stereospecific regulation of plant glucan synthetase in vitro. D. des S. Thomas, J. E. Smith, and R. G. Stanley, 489.
Smith, R.
Alterations of the host wall surrounding the infection peg of powdery mildew fungi. W. E. McKeen, R. Smith, and P. K. Bhattacharya, 701.
Erratum: Alterations of the host wall surrounding the infection peg of powdery mildew fungi. W. E. McKeen, R. Smith, and P. K. Bhattacharya, 1333.

Smith, W. H.
Initiation of ovulate strobili in cotyledon-stage seedlings of *Pinus elliottii*. W. H. Smith and R. N. Konar, 624.
Snajberk, K.
Turpentine composition of *Pinus contorta* × *Pinus banksiana* hybrids and hybrid derivatives. E. Zavarin, W. B. Critchfield, and K. Snajberk, 1443.
Soetiarto, S. R.
Ontogenetical and experimental studies of the floral apex of *Portulaca grandiflora*. 1. Histology of transformation of the shoot apex into the floral apex. S. R. Soetiarto and E. Ball, 133.
Ontogenetical and experimental studies of the floral apex of *Portulaca grandiflora*. 2. Bisection of the meristem in successive stages. S. R. Soetiarto and E. Ball, 1067.
Spanner, D. C.
A reappraisal of thermodynamic transport coefficients in *Nitella* cell walls. M. T. Tyree and D. C. Spanner, 1497.
Spencer, D. F.
Presence of plasmodesmata in callus cultures of tobacco and carrot. D. F. Spencer and W. C. Kimmins, 2049.
Srivastava, S. K.
Assorted angiosperm pollen from the Edmonton Formation (Maestrichtian), Alberta, Canada. S. K. Srivastava, 975.
Upper Cretaceous proteaceous pollen from the Edmonton Formation, Alberta (Canada) and their paleoecologic significance. S. K. Srivastava, 1571.
Staby, G. L.
Gibberellin-like substances in bulb species. L. H. Aung, A. A. De Hertogh, and G. L. Staby, 1817.
Stace-Smith, R.
Development of excised potato buds in nutrient culture. F. C. Mellor and R. Stace-Smith, 1617.
Stadelmann, E.
Incomplete formation of cell walls in *Allium* epidermis. K. Haissig and E. Stadelmann, 183.
Stanley, R. G.
Stereospecific regulation of plant glucan synthetase in vitro. D. des S. Thomas, J. E. Smith, and R. G. Stanley, 489.
Steeves, T. A.
In vitro morphogenesis in *Osmunda cinnamomea*. The role of the shoot apex in early leaf development. G. S. Hicks and T. A. Steeves, 575.
Analytical studies on the shoot apex of *Helianthus annuus*. T. A. Steeves, M. A. Hicks, J. M. Naylor, and P. Rennie, 1367.
On the occurrence of root thorns on a Central American palm. I. C. S. McArthur and T. A. Steeves, 1377.
Stein, J. R.
Crystalline bodies in an algal chloroplast. J. R. Stein and T. Bisalputra, 233.
Stewart, J. M.
The effect of different water depths on the growth of wild rice. A. G. Thomas and J. M. Stewart, 1525.
Stewart, W. N.
Fossil woods of Taxodiaceae from the Edmonton Formation (Upper Cretaceous) of Alberta. C. G. K. Ramanujam and W. N. Stewart, 115.
Nomenclatural changes for *Taxodioxylon antiquum* Ramanujam & Stewart and *T. antiquum* Prakash. C. G. K. Ramanujam and W. N. Stewart, 1333.
Stiell, W. M.
Stem growth reaction in young red pine to the removal of single branch whorls. W. M. Stiell, 1251.
Stotzky, G.
Loss of basic protein from root exudates during flash evaporation. P. Juo and G. Stotzky, 2107.
Strandberg, J. O.
Growth of noninfected and *Plasmodiophora brassicae* infected cabbage callus in culture. P. H. Williams, M. N. Reddy, and J. O. Strandberg, 1217.
Strobel, G. A.
The metabolism of succinic semialdehyde by a psychrophilic basidiomycete. P. N. Davies and G. A. Strobel, 809.
Suda, Y.
Chromosome numbers of some North American Arctic and Boreal *Salix*. Y. Suda and G. W. Argus, 859.
Sussex, I. M.
Gametophyte formation in bracken fern root cultures. M. H. Munroe and I. M. Sussex, 617.
Sussman, A. S.
Ultrastructural studies of cold-dormant and germinating uredospores of *Puccinia graminis* var. *tritici*. A. S. Sussman, R. J. Lowry, T. L. Durkee, and R. Maheshwari, 2073.
Sutton, B. C.
Type studies of *Coniella*, *Anthasthoopa*, and *Cyclodomella*. B. C. Sutton, 603.
Forest microfungi. I. *Ampulliferina persimplex* n. gen., n. sp. on leaves of labrador tea. B. C. Sutton, 609.
Electron microscopy of conidium development and secession in *Cryptosporiopsis* sp., *Phoma fumosa*, *Melanconium bicolor*, and *M. apiocarpum*. B. C. Sutton and D. K. Sandhu, 745.
Forest microfungi. II. Additions to *Acrodictys*. B. C. Sutton, 853.
Forest microfungi. III. The heterogeneity of *Pestalotia* deNot. section sexloculatae Klebahn sensu Guba. B. C. Sutton, 2083.
Minimidochium setosum n. gen., n. sp. and *Dinemasporium aberrans* n. sp. from West Africa. B. C. Sutton, 2095.
Sweeney, B. M.
Transducing mechanisms between circadian clock and overt rhythms in *Gonyaulax*. B. M. Sweeney, 299.
Sykes, J. M.
Diurnal shrinkage and swelling of tree stems. J. M. Sykes and L. Leyton, 217.

Tan, C. K.
Carbon dioxide, the substrate for phosphoenolpyruvate carboxylase from leaves of maize. E. R. Waygood, R. Mache, and C. K. Tan, 1455.
Tan, H.
An introduction to the genetics of the fungus *Coniochaeta velutina*. F. Cooke, H. Tan, and H. M. Good, 1019.
Taniguchi, E.
The mode of action of helminthosporal. I. Effect on the formation of amylase by embryoless barley seeds. G. A. White and E. Taniguchi, 873.
Taylor, J. B.
Fluctuations in natural soil populations of *Verticillium tricorpus*. J. B. Taylor, 737.
Taylor, L. D.
The ecological status of *Coniochaeta velutina* in sugar maple wounds. J. T. Basham, H. M. Good, and L. D. Taylor, 1629.
Teich, A. H.
Genetic control of cone clusters and precocious flowering in *Pinus sylvestris*. A. H. Teich and M. J. Holst, 1081.
Telfer, E. S.
Weight–diameter relationships for 22 woody plant species. E. S. Telfer, 1851.
Temmink, J. H. M.
The ultrastructure of *Olpidium brassicae*. II. Zoospores. J. H. M. Temmink and R. N. Campbell, 227.
The ultrastructure of *Olpidium brassicae*. III. Infection of host roots. J. H. M. Temmink and R. N. Campbell, 421.
Thomas, A. G.
The effect of different water depths on the growth of wild rice. A. G. Thomas and J. M. Stewart, 1525.
Thomas, D. des S.
Stereospecific regulation of plant glucan synthetase in vitro. D. des S. Thomas, J. E. Smith, and R. G. Stanley, 489.
Effect of 2-chloroethylphosphonic acid and gibberellic acid on survival of tall and dwarf peas grown in root rot soils. W. G. Benedict and D. des S. Thomas, 1659.
Differential effect of 2-chloroethylphosphonic acid on light- and dark-grown tall and dwarf peas. D. des S. Thomas and W. G. Benedict, 1725.
Thorn, G. D.
Comparative fungitoxicity and phytotoxicity of sodium *N*-methyldithiocarbamate and its *n*-alkyl homologues. L. T. Richardson and G. D. Thorn, 241.
Erratum: Comparative fungitoxicity and phytotoxicity of sodium *N*-methyldithiocarbamate and its *n*-alkyl homologues. L. T. Richardson and G. D. Thorn, 1017.
Trappe, J. M.
Studies on *Cenococcum graniforme*. I. An efficient method for isolation from sclerotia. J. M. Trappe, 1389.
Treanor, L. L.
The effect of mineral nutrition on apogamy in *Pteridium*. L. L. Treanor and D. P. Whittier, 773.
Tregunna, E. B.
The distribution and ultrastructure of chloroplasts in leaves differing in photosynthetic carbon metabolism. I. Wheat, *Sorghum*, and *Aristida* (Gramineae). T. Bisalputra, W. J. S. Downton, and E. B. Tregunna, 15.
The distribution and ultrastructure of chloroplasts in leaves differing in photosynthetic carbon metabolism. II. *Atriplex rosea* and *Atriplex hastata* (Chenopodiaceae). W. J. S. Downton, T. Bisalputra, and E. B. Tregunna, 915.
Estimation of the CO_2 free exchange pool size in wheat and corn leaves. P. A. Jolliffe and E. B. Tregunna, 1506.
Turel, F. L. M.
Saprophytic development of the flax rust *Melampsora lini*, race No. 3. F. L. M. Turel, 821.
Low temperature requirement for saprophytic flax rust cultures. F. L. M. Turel, 1637.
Tyree, M. T.
A reappraisal of thermodynamic transport coefficients in *Nitella* cell walls. M. T. Tyree and D. C. Spanner, 1497.
Udagawa, S.
Notes on the genus *Microthecium*. S. Udagawa and R. F. Cain, 1915.
Some new or noteworthy species of the genus *Chaetomium*. S. Udagawa and R. F. Cain, 1939.
Uphaus, R. A.
Effects of deuterium replacement on seed development: influence on excised embryos. F. A. Crane, M. I. Blake, R. A. Uphaus, and J. J. Katz, 1465.
Upshall, A.
Intraracial variation in *Phytophthora infestans*, and its relationship to different host varieties. A. Upshall, 863.
Variation among monosporous progeny of *Phytophthora infestans*. A. Upshall, 1171.
van den Berg, L.
Effect of relative humidity on production of extracellular pectolytic enzymes by *Botrytis cinerea* and *Sclerotinia sclerotiorum*. L. van den Berg and S. M. Yang, 1007.
van den Driessche, R.
Influence of moisture supply, temperature, and light on frost-hardiness changes in Douglas-fir seedlings. R. van den Driessche, 1765.
Vicario, B. T.
Effect of ultrasonics on the germination of wild rice (*Zizania aquatica*). E. H. Halstead and B. T. Vicario, 1638.
Vieth, J.
Fleurs pléiomères et synanthie chez *Hyacinthus orientalis*. J. Vieth, 885.
Virdi, B. V.
Interspecific hybridization of the red raspberry and salmonberry. B. V. Virdi and G. W. Eaton, 1820.
Embryo sac and early embryo development in the salmonberry (*Rubus spectabilis* Pursh.). B. V. Virdi and G. W. Eaton, 1891.

Wallace, H. A. H.
Canonical correlations of seed viability, seed-borne fungi, and environment in bulk grain ecosystems. R. N. Sinha, H. A. H. Wallace, and F. S. Chebib, 27.
Waring, R. H.
Temperature: collection of data and its analysis for the interpretation of plant growth and distribution. B. D. Cleary and R. H. Waring, 167.
Waygood, E. R.
Carbon dioxide, the substrate for phosphoenolpyruvate carboxylase from leaves of maize. E. R. Waygood, R. Mache, and C. K. Tan, 1455.
Weaver, T. W.
A chemosystematic analysis of some hybrid spruce (*Picea*) populations in Montana. J. R. Habeck and T. W. Weaver, 1565.
Webb, D. P.
Factors influencing the stratification process in seeds of *Acer saccharum*. D. P. Webb and E. B. Dumbroff, 1555.
Webster, T. R.
An investigation of angle-meristem development in excised stem segments of *Selaginella martensii*. T. R. Webster, 717.
Weintraub, M.
Respiration of tobacco leaves infected with different strains of potato virus X. M. M. Dwurazna and M. Weintraub, 723.
The respiratory pathways of tobacco leaves infected with potato virus X. M. M. Dwurazna and M. Weintraub, 731.
Westdal, P. H.
The susceptibility of cereals and wild oats to an isolate of the aster yellows pathogen. P. H. Westdal and H. P. Richardson, 755.
Wheeler, H.
Pathological changes in ultrastructure: false plasmolysis. P. Hanchey and H. Wheeler, 675.
Whelan, E. D. P.
Meiotic prophase in *Prunus avium* cultivar Lambert. E. D. P. Whelan and C. A. Hornby, 1813.
White, G. A.
The mode of action of helminthosporal. I. Effect on the formation of amylase by embryoless barley seeds. G. A. White and E. Taniguchi, 873.
Whitney, R. D.
Storage of *Polyporus tomentosus* sporophores. R. D. Whitney and W. P. Bohaychuk, 1489.
Whittier, D. P.
The effect of mineral nutrition on apogamy in *Pteridium*. L. L. Treanor and D. P. Whittier, 773.
Wiaux, A. L.
Régulateurs de croissance et stabilité du RNA de transfert. M. V. Briquet, R. G. Leblus et A. L. Wiaux, 1207.
Widén, C-J.
A chromatographic and cytological study of *Dryopteris dilatata* in eastern North America. C-J. Widén and D. M. Britton, 1337.
Wilkinson, R. C.
A new hybrid between blue spruce and white spruce. J. W. Hanover and R. C. Wilkinson, 1693.
Williams, P. G.
Haustoria-like branches in axenic cultures of *Puccinia graminis* f. sp. *tritici*. P. G. Williams, 1816.
Williams, P. H.
Growth of noninfected and *Plasmodiophora brassicae* infected cabbage callus in culture. P. H. Williams, M. N. Reddy, and J. O. Strandberg, 1217.
Wood, F. A.
Temperature and relative humidity regimes in the pine stump habitat of *Fomes annosus*. R. A. Schmidt and F. A. Wood, 141.
Yang, S. M.
Effect of relative humidity on production of extracellular pectolytic enzymes by *Botrytis cinerea* and *Sclerotinia sclerotiorum*. L. van den Berg and S. M. Yang, 1007.
Yao, Y.
Effect of temperature on the growth of wheat. II. "Grass-clump" dwarfs and dwarf varieties. Y. Yao and D. T. Canvin, 1.
Effect of temperature on the growth of wheat. III. Chemical constituents of Marquillo, Kenya Farmer, and two dwarf progeny grown at three temperatures. Y. Yao and D. T. Canvin, 35.
Growth responses of Marquillo × Kenya Farmer wheat dwarf 1 and 2 to gibberellic acid, kinetin, and indolebutyric acid under controlled environmental conditions. Y. Yao and D. T. Canvin, 53.
Yarranton, G. A.
Towards a mathematical model of limestone pavement vegetation. II. Microclimate, surface pH, and microtopography. G. A. Yarranton and W. J. Beasleigh, 959.
Zafar, S. I.
Influence of peroxidase and catalases on mycelial growth and pycnidium production by *Plenodomus meliloti* in light and darkness. S. I. Zafar and N. Colotelo, 505.
Zahner, R.
Vessel element development in the earlywood of red oak (*Quercus rubra*). J. C. Zasada and R. Zahner, 1965.
Zak, B.
Characterization and classification of mycorrhizae of douglas fir. I. *Pseudotsuga menziesii* + *Poria terrestris* (blue- and orange-staining strains). B. Zak, 1833.

Zasada, J. C.
Vessel element development in the earlywood of red oak (*Quercus rubra*). J. C. Zasada and R. Zahner, 1965.
Zavarin, E.
Turpentine composition of *Pinus contorta* × *Pinus banksiana* hybrids and hybrid derivatives. E. Zavarin, W. B. Critchfield, and K. Snajberk, 1443.
Zentmyer, G. A.
Electron microscopic observations of the flagellar hairs of *Phytophthora palmivora* zoospores. P. R. Desjardins, G. A. Zentmyer, and D. A. Reynolds, 1077.
Ziller, W. G.
Studies of hypodermataceous needle diseases. II. *Lirula brevispora* sp. nov., causing needle blight of spruce. W. G. Ziller, 261.